

## Lithium cells or batteries test summary according to UN38.3

EVE Energy Co., Ltd EVE Industrial Park, Huizhou, 51006 Guangdong, China +86 752 2606966 <a href="http://www.evebattery.com">www.evebattery.com</a> , <a href="mailto:sales@evebattery.com">sales@evebattery.com</a>																																						
<b>Description of cell or battery:</b> Cell/battery type: <input checked="" type="checkbox"/> Lithium metal <input type="checkbox"/> Lithium-ion Cell or battery: <input checked="" type="checkbox"/> cell <input type="checkbox"/> battery  Model name: ER 14505 EVE Part-no.: 232523 Voltage: 3.6V Capacity: 2.6Ah Energy: n/a Lithium content: 0.67g Weight of cell/battery: 19g  ER 18505 EVE Part-no.: 232527 Voltage: 3.6V Capacity: 3.5Ah Energy: n/a Lithium content: 0.90g Weight of cell/battery: 33g		<b>UN38.3 Test Lab:</b> SRICI TESTING West entrance, No.345 East Yunling Road, Shanghai +8621 52569800 <a href="http://www.ghs.cn">www.ghs.cn</a> <a href="mailto:wyorama@gmail.com">wyorama@gmail.com</a> <b>Test report-no.:</b> RZUN2016-3956 Jan. 05, 2017  <b>UN38.3 Test Lab:</b> CNAS No.3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou P.R. China +8620 32293888 <a href="http://www.cvc.org.cn">www.cvc.org.cn</a> <a href="mailto:office@cvc.org.cn">office@cvc.org.cn</a> <b>Test report-no.:</b> 1114100179 Oct. 31, 2014																																				
List of tests (result: pass/fail): <table border="1"> <thead> <tr> <th>Test number</th> <th>Test item</th> <th>Result</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>T-1</td> <td>Altitude</td> <td>pass</td> <td></td> </tr> <tr> <td>T-2</td> <td>Thermal cycling</td> <td>pass</td> <td></td> </tr> <tr> <td>T-3</td> <td>Vibration</td> <td>pass</td> <td></td> </tr> <tr> <td>T-4</td> <td>Shock</td> <td>pass</td> <td></td> </tr> <tr> <td>T-5</td> <td>External short circuit</td> <td>pass</td> <td></td> </tr> <tr> <td>T-6</td> <td>Impact /Crush</td> <td>pass</td> <td>for cell only</td> </tr> <tr> <td>T-7</td> <td>Overcharge</td> <td>N/A</td> <td></td> </tr> <tr> <td>T-8</td> <td>Forced Discharge</td> <td>pass</td> <td>for cell only</td> </tr> </tbody> </table>		Test number	Test item	Result	Remarks	T-1	Altitude	pass		T-2	Thermal cycling	pass		T-3	Vibration	pass		T-4	Shock	pass		T-5	External short circuit	pass		T-6	Impact /Crush	pass	for cell only	T-7	Overcharge	N/A		T-8	Forced Discharge	pass	for cell only	<b>For air transportation only:</b>  State of charge <input type="checkbox"/> max. 30% <input checked="" type="checkbox"/> not applicable
Test number	Test item	Result	Remarks																																			
T-1	Altitude	pass																																				
T-2	Thermal cycling	pass																																				
T-3	Vibration	pass																																				
T-4	Shock	pass																																				
T-5	External short circuit	pass																																				
T-6	Impact /Crush	pass	for cell only																																			
T-7	Overcharge	N/A																																				
T-8	Forced Discharge	pass	for cell only																																			

Test results in accordance with the UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS" Manual of Test and Criteria ST/SG/AC.10/11 Rev.6, Amend. 1, 38.3. Cell manufacturing as well as battery assembly is done under the quality assurance program of ISO9001:2008.

This document remains valid as long as no changes, modifications or additions are made to the model(s) described in this document. The model(s) has (have) been classified according to the applicable transport regulation and the UN Manual of Test and Criteria as of the date of the certification. The model(s) must be packed, labelled and documented according to country and other international regulations for transportation.

Name / Title of Signatory / Date

Sönke Zacher / Project Manager

Jan. 17, 2020